

Amendments to the Claims:

This listing of claims will replace all prior versions and listings of claims in the application:

Listing of Claims:

1. (currently amended) A method for generating a model representing devices and interconnections of the devices within an information handling system and using the model to control the devices, the method comprising:

querying a user for identifying first and second devices connected to the information handling system;

storing a first device object representing the first identified device and a second device object representing the second identified device;

identifying an interconnection between the first identified device and the second identified device; and

storing an interconnect object representing the interconnection between the first identified device with the second identified device, wherein the stored first and second device objects and interconnect object form at least part of the model.

2. (currently amended) The method according to claim 1, further comprising the step of using the model to control operation of at least one of the first device and the second device.

3. (original) The method according to claim 2, further comprising the steps of:
identifying an input of at least one of the first device and the second device; and
storing an input object in the model representing the identified input.

4. (previously amended) The method according to claim 3, further comprising the steps of:
identifying an output of at least one of the first device and the second device; and

storing an output object in the model representing the identified output.

5. (canceled)

6. (currently amended) The method according to claim 51, wherein the querying step comprises providing a user interface for communicating queries to the user.

7. (currently amended) The method according to claim 51, wherein the querying step is initiated by the user.

8. (currently amended) The method according to claim 51, wherein the querying step is initiated by the information handling system.

9. (currently amended) The method according to claim 51, wherein the identifying step further comprises querying the user to set an attribute of at least one of the first and second devices.

10. (currently amended) The method according to claim 51, wherein the identifying step further comprises querying the user to specify if at least one of the first and second devices may be controlled by a remote control.

11. (original) The method according to claim 1, further comprising the step of saving the model in persistent memory.

12. (currently amended) A computer readable medium whose contents cause a computer-based information handling system to execute method steps for generating a model representing devices and interconnections of the devices within the information handling system and using the model to control the devices, the method steps comprising:

querying a user for identifying first and second devices connected to the information handling system;

13. (original) The computer readable medium according to claim 12, whose contents further cause the computer-based information handling system to perform the step of using the model to control operation of at least one of the first device and the second device.

14. (original) The computer readable medium according to claim 13, whose contents further cause the computer-based information handling system to perform the method steps of:

15. (previously amended) The computer readable medium according to claim 13, whose contents further cause the computer-based information handling system to perform the method steps of:

16. (canceled)

17. (currently amended) The computer readable medium according to claim ~~16~~12, wherein the querying step comprises displaying a user interface on a display of the information handling system for providing the queries to the user.

18. (currently amended) The computer readable medium according to claim ~~16~~12,

wherein the identifying step further comprises querying the user to set an attribute of at least one of the first and second devices.

19. (currently amended) The computer readable medium according to claim ~~16~~12, wherein the querying step is initiated by the user.

20. (currently amended) The computer readable medium according to claim ~~16~~12, wherein the querying step is initiated by the information handling system.

21. (original) The computer readable medium according to claim 12, wherein the identifying step further comprises querying the user to specify if at least one of the first and second devices may be controlled by a remote control.

22. (original) The computer readable medium according to claim 12, whose contents further cause the computer-based information handling system to perform the method step of saving the model in persistent memory.

23. (currently amended) A system for generating a model representing devices and interconnections of the devices within an information handling system and using the model to control the devices, comprising:

means for identifying first and second devices connected to the information handling system by querying a user to identify devices interconnected with the information handling system;

means for storing a first device object representing the first identified device and a second device object representing the second identified device;

means for identifying an interconnection between the first identified device and the second identified device; and

means for storing an interconnect object representing the interconnection between the first identified device with the second identified device, wherein the stored first and second device objects and interconnect object form at least part of the model.

24. (original) The system according to claim 23, further comprising means for using the model to control operation of at least one of the first device and the second device.

25. (original) The system according to claim 24, further comprising:
means for identifying an input of at least one of the first device and the second device; and
means for storing an input object in the model representing the identified input.

26. (previously amended) The system according to claim 24, further comprising:
means for identifying an output of at least one of the first device and the second device; and
means for storing an output object in the model representing the identified output.

27. (canceled)

28. (original) The system according to claim 23, wherein the identifying means further comprises means for querying the user to set an attribute of at least one of first and second devices.

29. (original) The system according to claim 23, wherein the identifying means further comprises means for querying the user to specify if at least one of the first second devices can be controlled by a remote control.

30. (original) The system according to claim 23, further comprising means saving the model in persistent memory.

31. (canceled)

32. (canceled)

33. (canceled)

34. (canceled)

35. (canceled)

36. (canceled)

37. (canceled)

38. (canceled)

39. (canceled)

40. (canceled)

41. (currently amended) A system for generating a model representing devices interconnected with an information handling system and interconnections of the devices to at least one of the information handling system and other devices interconnected with the information handling system, and using the model to control the devices; comprising:

a user interface for providing communication with a user to identify a device interconnected with the information handling system, the user interface querying the user for setting an attribute of an identified device; and

a model generator for generating a model representing the identified device and the interconnection of the identified device with one of the information handling system,

wherein the model includes a device object representing the identified device and an interconnect object representing the interconnection between the identified device and the information handling system.

42. (previously added) The system according to claim 41, wherein the user interface provides communication with a user to identify a second device interconnected with at least one of the information handling system and the first identified device, and wherein the model generated by the model generator includes a second device object representing the second identified device and at least a second interconnect object representing the interconnection between one of the second identified device and the information handling system and the second identified device and the first identified device.

43. (previously added) The system according to claim 42, wherein the first and second device objects and the first and second interconnect objects each comprise an interface and an implementation, the interface including a routine and the implementation including source code implementing the routine for controlling the identified device or interconnection which the device object or interconnect object represents.

44. (previously added) The system according to claim 43, wherein the interface further comprises at least one of a constant, a data type and a variable.

~~4645.~~ (canceled)

~~4746.~~ (currently amended) The system according to claim 41, wherein the user interface further queries the user to specify if the identified device may be controlled by a remote control.
